



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/042,093	01/08/2002	Jon Michael Kleinberg	ARC919970008US2	6570

7590 05/10/2004

Timothy M Farrell  
IBM Corp  
Route 134 & Kitchawan Road  
Box 218  
Yorktown Heights, NY 10598

EXAMINER

RONES, CHARLES

ART UNIT	PAPER NUMBER
2175	16

DATE MAILED: 05/10/2004

Please find below and/or attached an Office communication concerning this application or proceeding.



## UNITED STATES DEPARTMENT OF COMMERCE

## U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

10/04/2003

EXAMINER

ART UNIT

PAPER

16

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

## Commissioner for Patents

The response timely submission under 37 CFR 1.111 filed on April 16, 2004 is not fully responsive to the prior Office action because the amendment fails to comply with 1.111(b) 3<sup>rd</sup> sentence. Applicant must respond to all arguments of the prior art.

This is held non-responsive and the period for response continues to run from January 16, 2004. Any further submission will not be considered to be a *bona fide* attempt to provide a complete reply to the prior Office action and the period for response will continue to run.

The original patent, or a statement as to loss or inaccessibility of the original patent, must be received before this reissue application can be allowed. See 37 CFR 1.178. Need actual surrender for notice of allowance to be issued, not just the offer to surrender.

Charles L. Rones  
Primary Examiner  
Art Unit: 2175